


# User Manual

Exodus-2/CCL21 (Exodus-2/CCL21) (Murine) Cat. No. MECCP-21012





#### **Description:**

Exodus-2/CCL21 is a novel CC chemokine discovered independently by three groups from the EST database, and shows 21-33% identity to other CC chemokines. Exodus-2 contains the four conserved cysteines characteristic of  $\beta$  chemokines plus two additional cysteines in its unusually long carboxylterminal domain. It is expressed in lymph nodes of certain endothelial cells, and in the spleen and appendix. Exodus-2 chemoattracts T and B lymphocytes and inhibits hematopoiesis.

#### Source:

Escherichia coli

#### **Unit:**

20 µg

#### **Reconstitution:**

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at < -20°C. Further dilutions should be made in appropriate buffered solutions.

#### **Formulation:**

Lyophilized from a 0.2  $\mu$ m filtered concentrated solution in 20 mM PB, pH 7.4, 150 mM NaCl.

#### Storage:

This lyophilized preparation is stable at 2-8°C, but should be kept at -20°C for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8°C. For maximal stability, apportion the reconstituted preparation into working



aliquots and store at -20°C to -70°C. Avoid repeated freeze/thaw cycles.

# **Molecular Weight:**

Approximately 12.0 kDa, a single, non-glycosylated polypeptide chain containing 110 amino acids.

# Endotoxin:

Less than 1 EU/ $\mu$ g of Exodus-2/CCL21 as determined by LAL method.

# Usage:

This material is offered by Cyagen Biosciences for research, laboratory or further evaluation purposes. FOR RESEARCH USE ONLY. NOT INTENDED FOR ANY ANIMAL OR HUMAN THERAP EUTIC OR DIAGNOSTIC USE.

# **Biological Activity:**

The biologically active determined by a chemotaxis bioassay using murine T-lymphocytes is in a concentration range of 10-100 ng/mL.

# **Physical Appearance:**

Sterile filtered white lyophilized (freeze-dried) powder.

# AA Sequence:

SDGGGQDCCL KYSQKKIPYS IVRGYRKQEP SLGCPIPAIL FLPRKHSKPE LCANPEEGWV QNLMRRLDQP PAPGKQSPGC RKNRGTSKSG KKGKGSKGCK RTEQTQPSRG



Purity: > 97% by SDS-PAGE and HPLC analyses.

Material Safety Data Sheets (MSDSs) are available upon request.

The Certificate of Analysis (COA), which provides detailed quality control information for each product, is also available at the Cyagen website.

Cyagen Biosciences reserves all rights on the technical documents of its culture products. No part of this document may be reproduced or adapted for other purposes without written permission from Cyagen Biosciences.